



skatepark  
design  
and construction



***YOUTH'S DREAMS COME TRUE***



PROJECT

**SK 24-14**



# PROJECT SK 24-14



LxWxH, mm


① **QUARTERPIPE**  
2460x3660x900

② **MANUAL PAD**  
4880x1720x200/400

③ **SKATEPLAZA**  
9850x6100x500/900

④ **BANK**  
4400x4880x1000

⑤ **QUARTERPIPE**  
4880x2440x1300





# PROJECT SK 24-14

## About project:

Project is directed for skateboarding for riders with beginner and medium level. The main element of the project is Skateplaza(Nº3) which imitating city obstacles.

Provided line for learning sliding basic tricks(Nº2). Also equipment can be used by rollerbladers and kickscooters.

**Requirements for area:** asphalt/concrete

## Primary users:

skateboarding, rollerblading, kickscooter

**Level:** beginners/medium

**The average numbers of riders:** 17 people

**Minimum area size:** 24x14 (336 m<sup>2</sup>)

Warranty – 2 years.

Equipment complies GOST 54415-2011(Russian standard).

Equipment complies DIN EN 14974(European standard).

## More options:

- drawing a logo on the equipment
- colouring of a framework and side panels in any color by RAL

*Price and terms you can specify with managers of SKpark company.*





## MATERIALS

*material comparisons*



## METAL FRAME

mobile version of equipment

PLEASE SPECIFY PRICE  
AND TERMS WITH MANAGERS  
OF SKPARK COMPANY

- **Frame**

Steel module frame

- **Anti-corrosion**

Polymeric-powder coating

*any color according by RAL*

- **Surface**

Finnish laminated plywood

Thickness – from 12mm

- **Side panels (additional option)**

Finnish laminated plywood

Thickness – from 12mm

*any color according by RAL*


- **Fasteners** (rivets, screws)

Steel galvanized fasteners



ALL USED MATERIALS ARE CERTIFIED AND  
HAVE CERTIFICATE OF CONFORMITY





## MATERIALS

*material comparisons*



## WOODEN FRAME

stationary version of equipment\*

PLEASE SPECIFY PRICE  
AND TERMS WITH MANAGERS  
OF SKPARK COMPANY

- **Frame\*\***

Smoothed and planed  
Finnish laminated plywood

- **Surface**

Finnish laminated plywood  
Thickness – from 12mm

- **Side panels**

Finnish laminated plywood  
Thickness – from 12mm

- **Safety hand-rails**

Steel profile

- **Fasteners** (rivets, screws)

Steel galvanized fasteners

\* Required installation specialists

\*\* Processing by antiseptic and fire prevention solute.

ALL USED MATERIALS ARE CERTIFIED AND  
HAVE CERTIFICATE OF CONFORMITY





## WOOD VS METALL



**WOODEN  
FRAME**



**STEEL  
FRAME**



**DURABILITY**

ABOUT 7 YEARS

ABOUT 15 YEARS



**WARRANTY**

2 YEARS

2 YEARS



**NOISE LEVEL**

Can be used  
at inhabited yard

It isn't recommended  
to use near houses.



**AVERAGE  
INSTALLATION TIME**

Required installation  
specialists. Average installation  
time: 3-30 days.

Possibility of installation  
by yourself, according to the circuit  
assembly. Average installation  
time: 1-7 days.



**DISMANTLING**

Fixed construction  
(practically unsuitable  
for dismantling).

Possible to disassemble  
and assemble the equipment  
if it necessary.





skatepark  
design  
and construction

119571, Moscow,  
Leninsky prospect,  
158, office 338

tel.:

+7 (495) 988-27-38

+7 (985) 820-62-25

MAIL@SKPARK.RU  
WWW.SKPARK.RU

