



skatepark  
design  
and construction



***YOUTH'S DREAMS COME TRUE***



PROJECT

**SK 25-11**

# PROJECT SK 25-11



LxWxH, mm

① **BANK**  
3740x2440x800


② **FUNBOX**  
5420x2440x500/890

③ **QUARTERPIPE**  
3740x2440x800

④ **KICKER**  
1450x1220x300

⑤ **DOUBLE WAVE**  
3900x1220x140/300

⑥ **MANUAL PAD**  
2440x1220x200



# PROJECT SK 25-11

## About project:

Project is directed for skateboarding for riders with beginner level. Provided line for learning jumps and slidings basic tricks(Nº4,6). Also equipment can be used by rollerbladers and kick scooters.

**Requirements for area:** asphalt/concrete

## Primary users:

skateboarding, rollerblading, kick scooter

**Level:** beginners

**The average numbers of riders:** 9 people

**Minimum area size:** 25x11 (275 m<sup>2</sup>)

Warranty – 2 years.

Equipment complies GOST 54415-2011(Russian standard).

Equipment complies DIN EN 14974(European standard).

## More options:

- drawing a logo on the equipment
- colouring of a framework and side panels in any color by RAL

*Price and terms you can specify with managers of SKpark company.*





## METAL FRAME

mobile version of equipment

PLEASE SPECIFY PRICE  
AND TERMS WITH MANAGERS  
OF SKPARK COMPANY

### MATERIALS

*material comparisons*

- **Frame**

Steel module frame

- **Anti-corrosion**

Polymeric-powder coating  
*any color according by RAL*

- **Surface**

Finnish laminated plywood  
Thickness – from 12mm

- **Side panels (additional option)**


Finnish laminated plywood  
Thickness – from 12mm  
*any color according by RAL*

- **Fasteners** (rivets, screws)

Steel galvanized fasteners



ALL USED MATERIALS ARE CERTIFIED AND  
HAVE CERTIFICATE OF CONFORMITY



## WOODEN FRAME

stationary version of equipment\*

PLEASE SPECIFY PRICE  
AND TERMS WITH MANAGERS  
OF SKPARK COMPANY

### MATERIALS

*material comparisons*

- **Frame\*\***

Smoothed and planed  
Finnish laminated plywood

- **Surface**

Finnish laminated plywood  
Thickness – from 12mm

- **Side panels**

Finnish laminated plywood  
Thickness – from 12mm

- **Safety hand-rails**

Steel profile

- **Fasteners** (rivets, screws)

Steel galvanized fasteners

\* Required installation specialists

\*\* Processing by antiseptic and fire prevention solute.

ALL USED MATERIALS ARE CERTIFIED AND  
HAVE CERTIFICATE OF CONFORMITY










## WOOD VS METALL



WOODEN  
FRAME



STEEL  
FRAME

	WOODEN FRAME	STEEL FRAME
 <b>DURABILITY</b>	ABOUT 7 YEARS	ABOUT 15 YEARS
 <b>WARRANTY</b>	2 YEARS	2 YEARS
 <b>NOISE LEVEL</b>	Can be used at inhabited yard	It isn't recommended to use near houses.
 <b>AVERAGE INSTALLATION TIME</b>	Required installation specialists. Average installation time: 3-30 days.	Possibility of installation by yourself, according to the circuit assembly. Average installation time: 1-7 days.
 <b>DISMANTLING</b>	Fixed construction (practically unsuitable for dismantling).	Possible to disassemble and assemble the equipment if it necessary.



skatepark  
design  
and construction

119571, Moscow,  
Leninsky prospect,  
158, office 338

tel.:

+7 (495) 988-27-38

+7 (985) 820-62-25

MAIL@SKPARK.RU  
WWW.SKPARK.RU

